

# They adapt easily to any lifestyle

primePort sliding fittings from Winkhaus



## Premium sliding fittings for all requirements

The high-quality primePort sliding fittings have been developed to meet the requirements of a wide range of application scenarios. They are suitable for wooden, PVC-U or aluminium windows and doors and can be used for both new buildings and renovations. Whether for single-family or multi-family houses, for public or private use, primePort solutions are a versatile option for anyone looking for high-quality sliding fittings for doors and windows.

	primePort SK	primePort AS	primePort HS
Sash weight	220 kg	250 kg	440 kg
Tilt position possible	Yes	-	-
Accessibility possible	-	-	Yes
Security	RC2 possible	RC2 possible	RC2 possible
Usage	High-rise buildings, single-family and multi-family houses	High-rise buildings, commercial buildings, public institutions	Single-family houses, semi-detached houses, property



# Flexible and versatile

## primePort SK/primePort PAS

The slide-tilt fittings in the primePort SK series offer a simple solution for individual living comfort. This economical alternative is based on the proven Winkhaus activPilot standard fittings, which are known for their high energy efficiency. The intuitive operating sequence ensures convenient operation. Efficiency and fast stock turnover in window production can be improved by combining primePort SK with standard turn-tilt profiles. The fittings can be adjusted quickly and conveniently with just one TX25 tool. Installation is made easy thanks to tool-free sash attachment.

What is more, the fittings offer an opening width of 135 mm and can carry sash weights of up to 220 kg. The uniform handle design including screw-on drive and the modern caps and covering profiles are available in seven different colours, giving windows a timeless design. primePort SK-S fittings can simply be converted to the parallel action slide version primePort PAS. primePort SK-S fittings can also be converted to primePort SK-Z with little effort. All three variants offer intuitive handling, security and convenience.



# Making life easier at a flick of the wrist

## primePort SK variants

### primePort SK-S

The primePort SK-S slide-tilt fitting system is an innovative solution for intuitive window operation. The easy handling makes opening windows a breeze offering extended user-friendliness.

### primePort SK-Z

The intelligent primePort SK-Z fitting technology enables large window sashes weighing up to 220 kg to be tilted safely and effortlessly. By turning the handle 180 degrees, the sash is automatically positioned correctly in the tilt position. This virtually eliminates faulty operation, which increases safety and convenience. primePort SK-Z is particularly suitable for large window sashes and offers a reliable solution for demanding users.

### primePort PAS

The primePort PAS parallel action slide fitting system enables healthy room air circulation and at the same time offers additional security protection for animal residents. Sash weights of up to 160 kg are possible. Thanks to the parallel opening position of about 6 mm, fresh air can gently enter the room without it cooling down too much or allowing animals to escape. This circumferential parallel action function ensures optimum ventilation convenience creating a cosy and safe atmosphere. Of course, the sashes can also be opened completely to take full advantage of the sliding window door. This ensures an ideal combination of modern design and practical functionality.

---

### Winkhaus Plus

---

- + Intuitive operation and smooth-running mechanics
- + Burglar resistance up to resistance class RC2 possible
- + Large opening width of 135 mm, suitable for deep profiles
- + Simple assembly, as locked and controlled tilt positions are performed by activPilot central locking system
- + Standard locking initiator
- + Optional: bogie with damper

# The fitting system for extreme weather conditions

## primePort AS

The primePort AS retract-slide fitting system offers window manufacturing companies the perfect combination of security, versatility and efficiency. Thanks to its innovative retract-slide mechanism, it guarantees extreme safety even in stormy weather. Burglar resistance is possible up to resistance class RC2 and a load capacity of up to 250 kg. The central locking system consists of the tried-and-tested activPilot fitting parts and enables quick and uncomplicated installation.

All necessary adjustments can be made with just one tool (4 mm Allen key). At the same time, primePort AS allows generous window openings that provide more light and fresh air, even in small rooms, without taking up space. The simple design and concealed mechanics also make the system easy to clean and minimise the risk of operating errors.

---

### Winkhaus Plus

---

- + Intuitive operation and smooth-running mechanics
- + Space-saving solution
- + Burglar resistance up to resistance class RC2 possible
- + Sash weights of up to 250 kg
- + Excellent weather performance even under high wind loads
- + Increased reliability, as locked and ventilation positions are secured by activPilot central locking system
- + Efficient thanks to easy-to-fit connection to the central locking system by means of push rods
- + Low storage requirement, as only a few size-independent components are required
- + Optional: Safety Stop and Soft Close

# Maximum convenience without limits

## primePort HS

The primePort HS fitting system redefines convenience and enables perfect, superior living. It offers an exclusive living experience without restrictions thanks to its sturdy technology and smooth-running mechanics. With its robust construction, it effortlessly moves door elements weighing up to 440 kg. The low threshold provides convenient access to the outside, while primePort HS itself offers the highest level of protection with burglar resistance up to RC2 being possible. This high-quality fitting system enables maximum convenience and lightness with minimal force required, thus ensuring top living quality. The ergonomic handle and intuitive operation also contribute to this.

---

### Winkhaus Plus

---

- + Smooth mechanics
- + Ergonomic handle for ease of use
- + Low threshold
- + Burglar resistance up to resistance class RC2 possible
- + For particularly large elements up to a sash weight of 440 kg
- + Locking drive available in hook or bolt version



# Flexible options for individual needs

## primePort accessories

An exclusive handle design has been developed for the first-class primePort window fittings from Winkhaus. Handles are available in lengths of 160 and 200 mm for the primePort SK and primePort AS systems, while the handles for primePort HS come in 240 mm length. All handles offer ergonomic use and are optionally lockable to ensure additional protection against unwelcome intruders. The uniform handle design is complemented by premium screw-on drive units guaranteeing a consistent and aesthetic appearance. In addition, handle recesses are available for our system solutions, which are also suitable for profile cylinders.

There are seven different colours to choose from for individual window design.



**White**  
Similar to  
RAL 9016



**Brown**  
Similar to  
RAL 8019



**Deep black matt**  
Similar to  
RAL 9005




**Matt anthracite grey**  
Similar to  
RAL 7016



**Silver**  
Similar to  
RAL 7042



**Titanium coloured**  
Similar to  
RAL 7048



**Bronze/  
reddish brown**  
Similar to  
RAL 1036

# Competent support for your window fitting technology

## Completely carefree

Our ultimate goal is to ensure the highest level of customer satisfaction. We achieve this not only through the first-class quality of our products, but also thanks to their longevity and functionality, guaranteed by extensive quality controls. As your trusted partner for window fitting technology, we would like to support you in all matters. Whether consulting, planning, implementation, repairs or maintenance – we offer tailor-made solutions and are available to you at any time. Our in-house service technicians will be happy to provide you with detailed information about our primePort fitting solutions to ensure a smooth workflow in your company.

**Manufactured and distributed by:**

**Aug. Winkhaus SE**

August-Winkhaus-Straße 31

48291 Telgte

Germany

Contact:

T +49 2504 921-0

F +49 2504 921-340

[fenstertechnik@winkhaus.de](mailto:fenstertechnik@winkhaus.de)

**For UK imported by:**

**Winkhaus UK Ltd.**

2950 Kettering Parkway

NN15 6XZ Kettering

Great Britain

Contact:

T +44 1536 316 000

F +44 1536 416 516

[enquiries@winkhaus.co.uk](mailto:enquiries@winkhaus.co.uk)

[winkhaus.com](http://winkhaus.com)